



Super Lift-Off 440 – Floor Stripper

1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: Super Lift-Off
 Date of Safety Data Sheet: April 11, 2018
 Use of Preparation: Floor Stripper.
 Company Identification: Parkside Professional Products Ltd.
 4777 Kent Avenue
 Niagara Falls, Ontario L2H 1J5
 OFFICE: 905-358-8364

Company Emergency Telephone Number: Emergency Phone: 905-358-8364
 Transportation Emergency Telephone Number: CANUTEC 613-996-6666 or * 666 for cell phone

2. HAZARD IDENTIFICATION

Emergency Overview:
 OSHA / WHMIS 2015 Hazards
 Classification of substance or mixture
 GHS-US/Canadian classification:
 GHS Hazards
 Acute Toxicity (Oral) Category 4 H302
 Skin Corrosive Category 1A H314
 Eye Damage Category 1 H318
 Label Elements
 GHS-US/ Canada Labeling
 Hazard Pictograms (GHS):



Signal Word (GHS): Danger
 Hazard Statements (GHS):
 H302: Harmful if swallowed
 H314: Causes severe skin burns and eye damage
 H318: Causes serious eye damage



Super Lift-Off 440 – Floor Stripper

Precautionary Statements (GHS):

P102: Keep out of reach of children.

P260: Do not breathe mist, spray, and vapours.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

Response Statements (GHS):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P310: Immediately call a POISON CENTRE or doctor/physician

P315: Get immediate medical advice/attention.

P363: Wash contaminated clothing before re-use.

P501: Dispose of contents / container in accordance with local regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Potassium Hydroxide	1310-58-3	1-5	Corrosive to Metals Category 1- H290 Acute Toxicity (Oral) Category 4 - H302 Skin Corrosion/Irritation Category 1A – H314 Serious Eye Damage/Eye Irritation Category 1– H318 Aquatic Hazard (Acute) Category 3 – H402
Ethanolamine	141-43-5	10-30	Flammable Liquids Category 4 – H227 Acute Toxicity (Oral) Category 4 - H302 Skin Corrosion/Irritation Category 1B – H314 Serious Eye Damage/Eye Irritation Category 1 - H318
Tetrasodium EDTA	64-02-8	1-5	Acute Toxicity (Oral) Category 4 - H302 Skin Corrosion/Irritation Category 2 – H315 Serious Eye Damage/Irritation Category 2A – H319
Diethylene glycol monobutyl ether	112-34-5	5-10	Serious Eye Damage / Eye Irritation Category 2B– H320 STOT Repeated Exposure Category 2 – H373
Ethylene glycol monobutyl ether	111-76-2	5-10	Flammable Liquids Category 4 – H227 Skin Corrosion/Irritation Category 2 – H315



Super Lift-Off 440 – Floor Stripper

4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If symptoms persist consult physician.
Eye Contact:	Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Repeat if required. If irritation persists, get medical attention.
Skin Contact:	Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse.
Ingestion:	Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Get medical aid.
Notes to Physician:	Treatment based on judgment of attending physician.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Flood with water for extinguishing agent. CO ₂ , dry chemical, alcohol resistant foam
Unsuitable extinguishing media:	None known.
Special exposure hazards	Thermal decomposition releases irritating gases.
Special safety equipment:	Self-contained positive pressure breathing apparatus and protective clothing.
Fire and explosion	Not flammable. Not an explosive hazard.
Further information	Keep containers and surrounding cool with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.



Super Lift-Off 440 – Floor Stripper

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage: Acids, oxidizers, reducing agents.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Do not store together with strong acids.

Store away from oxidizing agents.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection: Use local exhaust or dilution ventilation.

Hand protection: Chemical resistant gloves.

Eye protection: Safety goggles or full-face shield.

Skin protection: Use body-covering impervious clothing.

Working hygiene: Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.

Exposure Guidelines:

Ethanolamine: ACGIH (TWA) 3 ppm
 ACGIH (STEL) 6 ppm
 OSHA Z-1 (TWA) 6 mg/m³ 3 ppm



Super Lift-Off 440 – Floor Stripper

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Liquid	Odour	Mild
Appearance	Clear	Odour Threshold	No data available.
Colour	Water white to amber.	<u>Remarks/Method</u>	
<u>Property</u>	<u>Values</u>		
pH	13-14	None known	
Melting/Freezing Point	No data available	None known	
Boiling Point/Range	No data available	None known	
Flash Point	Not applicable.	None known	
Evaporation Rate	Similar	None known	
Flammability (solid, gas)	Not flammable	None known	
Flammability Limit in Air:			
Upper Limit	No data available	None known	
Lower Limit	No data available	None known	
Vapour Pressure	No data available	None known	
Vapour density	No data available	None known	
Specific Gravity	0.96-0.99 g/cm ³		
Water Solubility	Soluble in water.	None known	
Solubility Other Solvents	No data available	None known	
Partition Coefficient:			
n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition	No data available	None known	
Temperature			
Kinematic Viscosity	No data available	None known	
Dynamic Viscosity	No data available	None known	
Explosive Properties	No data available	None known	
Oxidizing Properties	No data available	None known	
<u>Other Properties:</u>			
Softening Point	No data available		
VOC Content %	No data available		
Particle Size	No data available		
Particle Size Distribution	No data available		

10. STABILITY AND REACTIVITY

Reactivity	Stable at normal ambient temperature and pressure.
Chemical stability	Stable under recommended handling and storage conditions (see section 7).



Super Lift-Off 440 – Floor Stripper

Thermal decomposition/conditions to avoid:	No decomposition if used and stored according to specifications.
Possibility of hazardous reactions	Hazardous polymerization will not occur.
Conditions to avoid	Direct sunlight. Extremely high or low temperatures.
Hazardous decomposition products	Carbon oxides (CO, CO ₂). Sodium oxides.
Materials to avoid	Reducing agents, oxidizing agent. Strong acids.
Hazardous polymerization	Will not occur

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: Harmful if swallowed.

LD/LC50 values relevant for classification:

Sodium Hydroxide CAS# 1310-73-2:

LD50 (Oral, rat): 500 mg/kg

Ethanolamine CAS# 141-43-5:

LD50 (Oral, rat): 1,720 mg/kg

LD50 (Dermal, rat): 1,015 mg/kg

On the skin: Causes severe skin irritation and eye damage. (PH: 13.5).

On the eye: Causes serious eye damage. (PH: 13.5)

Respiratory or Skin Sensitization: Not classified.

Additional toxicological information:

Carcinogenicity:

Chemical Name

IARC None

NTP None

12. ECOLOGICAL INFORMATION

Toxicity:	Not classified
Persistence and Degradability:	Not available
Bioaccumulative Potential:	Not available
Mobility in Soil:	Not available.
Other Adverse Effects	
Other Information:	All of the organic components of this product are readily biodegradable.

13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.



Super Lift-Off 440 – Floor Stripper

14. TRANSPORTATION INFORMATION

Canadian T.D.G.: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (Monoethanolamine, Potassium Hydroxide)

Contains: Monoethanolamine, Potassium Hydroxide

Proper Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (Monoethanolamine, Potassium Hydroxide),

Hazard Class: 8

ID Number: UN 3267

Packing Group: III



US DOT: Regulated Material

Contains: Monoethanolamine, Potassium Hydroxide

Proper Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (Monoethanolamine, Potassium Hydroxide),

Hazard Class: 8

ID Number: UN 3267

Packing Group: III



Water Transportation (IMDG): Regulated Material

Contains: Monoethanolamine, Potassium Hydroxide

Proper Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (Monoethanolamine, Potassium Hydroxide),

Hazard Class: 8

ID Number: UN 3267

Packing Group: III

Air Transportation (IATA): Regulated Material

Contains: Monoethanolamine, Potassium Hydroxide

Proper Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (Monoethanolamine, Potassium Hydroxide),

Hazard Class: 8

ID Number: UN 3267

Packing Group: III



Super Lift-Off 440 – Floor Stripper

15. REGULATORY INFORMATION

Occupational Health & Safety Regulations:

WHMIS 1988 Classification: Class D - Division 2B, Class E



OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	-
PICCS	-
AICS	Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.



Super Lift-Off 440 – Floor Stripper

HMIS III Rating

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)

16. OTHER INFORMATION

Prepared By: Parkside Professional Product Ltd.
4777 Kent Avenue
Niagara Falls, Ontario
L2H 1J5
905-358-8364

Issuing Date: April 11, 2018

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet