



Super Tile & Grout Cleaner 550

1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: Super Tile & Grout Cleaner 550
 Date of Safety Data Sheet: June 9, 2017
 Use of Preparation: Cleaner.
 Company Identification: Parkside Professional Products Ltd.
 4777 Kent Avenue
 Niagara Falls, Ontario L2H 1J5
 OFFICE: 905-358-8364

Company Emergency Telephone Number: Emergency Phone: 905-358-8364

Transportation Emergency Telephone Number: CANUTEC 613-996-6666 or * 666 for cell phone

2. HAZARD IDENTIFICATION

Emergency Overview:

OSHA/ WHMIS 2015 Hazards:

Corrosive

Classification of substances or mixture

GHS-US/ Canadian classification:

Acute Toxicity Category 4 (Oral) H302

Acute Toxicity Category 4 (Dermal) H312

Skin Corrosion Category 2 H315

Eye Damage Category 1 H318

Label Elements

GHS Labeling

Hazard Pictograms (GHS):



Signal Word (GHS): Danger.

Hazard Statements (GHS):

H302: Harmful if swallowed

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H318: Causes serious eye damage



Super Tile & Grout Cleaner 550

Precautionary Statements (GHS):

P260: Do not breathe mist, spray, and vapors.

P264: Wash hands, forearms, and exposed areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

Response Statements (GHS):

P301+ P310+ P312+ P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents / container in accordance with local regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Urea, monohydrochloride	506-89-8	15-35	Acute Toxicity Category 4 (Oral) - H302 Serious Eye Damage / Eye Irritation Category 1- H318 STOT Information not currently available.
Alkyl dimethyl benzyl ammonium chloride (C12-18)	68391-01-5 40	1-5	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion / Irritation Category 1 – H314 Serious Eye Damage / Eye Irritation Category 1 – H318
Alkyl (68% C12, 32% C14) dimethyl ethyl benzyl ammonium chloride.	85409-23-0 (Alternate CAS 68956-79-6)	1-5	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion / Irritation Category 1 – H314 Serious Eye Damage / Eye Irritation Category 1 – H318
Diethylene glycol monobutyl ether	112-34-5	7-13	Serious Eye Damage / Eye Irritation Category 2B– H320 STOT Repeated Exposure Category 2 – H373
Lauramine Oxide	1643-20-5	1-5	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion/Irritation Category 2- H315 Serious eye damage/eye irritation Category 1- H318
Alcohol Ethoxylate	68002-97-1	1-5	Skin Corrosion/Irritation Category 3– H316 Serious Eye Damage/Eye Irritation Category 2B – H320

Date: June 9, 2017

SDS: Parkside Professional Products Ltd. Super Tile & Grout



Super Tile & Grout Cleaner 550

4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If symptoms persist consult physician.
Eye Contact:	Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin Contact:	Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse. Chemical burns must be treated by physician.
Ingestion:	Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Immediately call a POISON CENTRE or doctor/physician.
Notes to Physician:	Treatment based on judgment of attending physician.
Most Important symptoms and effects, both acute and delayed:	Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Any standard extinguishing media (alcohol foam, water spray or fog, CO2 dry chemical, etc.).
Unsuitable extinguishing media:	None known.
Special exposure hazards:	None known.
Special safety equipment:	Self-contained positive pressure breathing apparatus and protective clothing.
Fire and explosion	Not flammable. No explosion hazard.
Further information	None

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

For Non-Emergency Personnel:

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel:

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Stop leak if safe to do so. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up:

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.



Super Tile & Grout Cleaner 550

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Avoid splashes or spray in enclosed areas.

Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Do not store together with alkaline products.

Store away from oxidizing agents.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Appropriate Engineering Controls:

Engineering Measures

Showers. Eyewash Stations. Ventilation Systems.

Respiratory protection:

Use local exhaust or dilution ventilation.

Hand protection:

Chemical resistant gloves.

Eye protection:

Safety goggles or full-face shield.

Skin protection:

Use body-covering impervious clothing.

Working hygiene:

Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.

Exposure guidelines:

Contains no substances with occupational exposure limit values.



Super Tile & Grout Cleaner 550

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

<u>Property</u>	<u>Values</u>	<u>Odour</u>	<u>Remarks/Method</u>
Physical State	Liquid		
Appearance	Clear.	Odour	Cherry.
Colour	Water white to amber.	Odour Threshold	No data available.
<u>Property</u>	<u>Values</u>	<u>Remarks/Method</u>	
pH	0.75-1.50	None known	
Melting/Freezing Point	No data available	None known	
Boiling Point/Range	No data available	None known	
Flash Point	Not applicable.	None known	
Evaporation Rate	Similar	None known	
Flammability (solid, gas)	Not flammable	None known	
Flammability Limit in Air:			
Upper Limit	No data available	None known	
Lower Limit	No data available	None known	
Vapour Pressure	No data available	None known	
Vapour density	No data available	None known	
Specific Gravity	0.99-1.02 g/cm ³		
Water Solubility	Soluble in water.	None known	
Solubility Other Solvents	No data available	None known	
Partition Coefficient:			
n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition	No data available	None known	
Temperature			
Kinematic Viscosity	No data available	None known	
Dynamic Viscosity	No data available	None known	
Explosive Properties	No data available	None known	
Oxidizing Properties	No data available	None known	
<u>Other Properties:</u>			
Softening Point	No data available		
VOC Content %	No data available		
Particle Size	No data available		
Particle Size Distribution	No data available		



Super Tile & Grout Cleaner 550

10. STABILITY AND REACTIVITY

Reactivity	Stable at normal ambient temperature and pressure.
Chemical stability	Stable up to 110 °C /230°F
Thermal decomposition/conditions to avoid:	Heating above 110 °C /230°F results in an exothermic decomposition with rapid release of CO ₂ gas Reacts with alkali, metals, amines and oxidizing agents. Corrodes aluminium.
Possibility of hazardous reactions	Warning! Do not use together with other products. May release dangerous gases (chlorine). Avoid contact with oxidizers.
Conditions to avoid	Store away from oxidizing agents. Warning! Do not use together with other products. May release dangerous gases (chlorine). Avoid contact with oxidizers. This material may be extremely
Hazardous decomposition products	hazardous in contact with chlorates or nitrates. This material is acidic. Contact with hypochlorites (e.g. chlorine bleach, sulfides, or cyanides will liberate toxic gases. Contact with alkaline materials (e.g. aqua ammonia) will generate heat.
Materials to avoid	Oxidizing agents, acids.
Hazardous polymerization	Will not occur

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification

Urea Hydrochloride CAS # 506-89-8:

LD50 (Oral, rat): 1,100 mg/kg

Primary irritant effect:

On the skin: Non-corrosive to skin.

On the eye: Strong caustic effect.

Sensitization: No sensitizing effects known.

Additional toxicological information: The product shows the following dangers according to the calculation method:

Corrosive to eye.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12. ECOLOGICAL INFORMATION

Toxicity:	Not available.
Persistence and Degradability:	Not available
Bioaccumulative Potential:	Not available
Mobility in Soil:	Not available.
Other Adverse Effects	
Other Information:	Avoid release to the environment.



Super Tile & Grout Cleaner 550

13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.

14. TRANSPORTATION INFORMATION

Canadian T.D.G.: Regulated Material

Proper Shipping Name: Corrosive liquid, N.O.S.

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 1760

Packing Group: III



U.S. Department of Transportation (DOT): Regulated Material

Proper Shipping Name: Corrosive liquid, N.O.S.

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 1760

Packing Group: III



Water Transportation (IMDG): Regulated Material

Proper Shipping Name: Corrosive liquid, N.O.S.

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 1760

Packing Group: III





Super Tile & Grout Cleaner 550

Air Transportation (IATA): Regulated Material

Proper Shipping Name: Corrosive liquid, N.O.S.

Contains: Urea monohydrochloride

Hazard Class: 8

ID Number: UN 1760

Packing Group: III



15. REGULATION

Occupational Health & Safety Regulations:

WHMIS Classification: Class D - Division 2B, Class E



OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	-
PICCS	-
AICS	Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances



Super Tile & Grout Cleaner 550

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. State Regulations

California Prop. 65

This product does not contain any Proposition 65 chemicals.

HMIS III Rating

Health: 3 Serious Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)

16. OTHER INFORMATION

Prepared By: Parkside Professional Products Ltd.
4777 Kent Avenue
Niagara Falls, Ontario
L2H 1J5
905-358-8364

Issuing Date: June 9, 2017

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet