



Vestec 680 – Heavy Duty Oven & Grill Cleaner

1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

| | |
|--|---|
| Identification of Preparation: | Vestec 680 |
| Date of Safety Data Sheet: | September 9, 2025 |
| Use of Preparation: | Oven & Grill Cleaner/Degreaser |
| Company Identification: | Parkside Professional Products Ltd. 4777 Kent Avenue Niagara Falls, Ontario L2H 1J5 OFFICE: 905-358-8364 |
| Company Emergency Telephone Number | Emergency Phone: 905-358-8364 |
| Transportation Emergency Telephone Number | CANUTEC 613-996-6666 or * 666 for cell phone |

2. HAZARD IDENTIFICATION

Emergency Overview:

OSHA / WHMIS 2015 Hazards

Classification of substance or mixture

GHS-US/Canadian classification:

GHS Hazards

Corrosive to Metal Category 1 H290

Skin Corrosive Category 1A H314

Eye Damage Category 1 H318

Label Elements

GHS-US/ Canada Labeling

Hazard Pictograms (GHS):



Signal Word (GHS): Danger

Hazard Statements (GHS):

H290 – May be corrosive to metals.

H302 - Harmful if swallowed

H314-Causes severe skin burns and eye damage

Precautionary Statements (GHS):

P260: Do not breathe mist, spray, and vapours.

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER or doctor/physician.



Vestec 680 – Heavy Duty Oven & Grill Cleaner

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before re-use.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P315: Get immediate medical advice/attention.

P501: Dispose of contents / container in accordance with local regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

| Ingredient | CAS# | % by Wt | Classification |
|------------------|-----------|---------|---|
| Tetrasodium EDTA | 64-02-8 | 1-5 | Acute Toxicity Category 4 (Oral) - H302 Skin Irritant Category 2 – H315 Serious Eye Damage/Irritation Category 2A – H318 |
| Sodium Hydroxide | 1310-73-2 | 15-30 | Corrosive to Metals Category 1 - H290 Acute Toxicity Category 2 (Oral) - H300 Skin Corrosion Category 1A – H314 Eye Damage / Irritant Category 1– H318 Aquatic Hazard (Acute) Category 3 – H402 |

4. FIRST AID MEASURES

| | |
|----------------------------|---|
| Inhalation: | Remove to fresh air. If symptoms persist consult physician. |
| Eye Contact: | Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Repeat if required. If irritation persists, get medical attention. |
| Skin Contact: | Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse. |
| Ingestion: | Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Get medical aid. |
| Notes to Physician: | Treatment based on judgment of attending physician. |

5. FIRE FIGHTING MEASURES

| | |
|--|--|
| Suitable extinguishing media: | Flood with water for extinguishing agent. CO ₂ , dry chemical, alcohol resistant foam |
| Unsuitable extinguishing media: | None known. |



Vestec 680 – Heavy Duty Oven & Grill Cleaner

| | |
|----------------------------------|---|
| Special exposure hazards | Thermal decomposition releases irritating gases. |
| Special safety equipment: | Self-contained positive pressure breathing apparatus and protective clothing. |
| Fire and explosion | Not flammable. Not an explosive hazard. |
| Further information | Keep containers and surrounding cool with water spray. |

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Storage: Acids, Oxidizers, reducing agents.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Do not store together with alkaline products or strong acids.

Store away from oxidizing agents.

Store away from foodstuffs.



Vestec 680 – Heavy Duty Oven & Grill Cleaner

Further information about storage conditions:

Store in cool, dry conditions in well-sealed receptacles.
Store receptacle in a well-ventilated area.
Keep container tightly sealed.

Specific end use(s) No further relevant information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| | |
|--------------------------------|---|
| Respiratory protection: | Use local exhaust or dilution ventilation. |
| Hand protection: | Chemical resistant gloves. |
| Eye protection: | Safety goggles or full-face shield. |
| Skin protection: | Use body-covering impervious clothing. |
| Working hygiene: | Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking. |

Exposure Guidelines: Sodium Hydroxide ACGIH Ceiling 2 mg/m³ OSHA PEL (TWA) 2 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

| <u>Physical State</u> | <u>Appearance</u> | <u>Colour</u> | <u>Property</u> | <u>Values</u> | <u>Odour</u> | <u>Odour Threshold</u> | <u>Remarks/Method</u> |
|----------------------------|-------------------|---------------|-----------------|-----------------------------|--------------|------------------------|-----------------------|
| Liquid | Clear | Clear. | | | No Odour | | No data available. |
| | | | | | | | |
| pH | | | | 12.0 -13.0 | None known | | |
| Melting/Freezing Point | | | | No data available | None known | | |
| Boiling Point/Range | | | | No data available | None known | | |
| Flash Point | | | | Not applicable. | None known | | |
| Evaporation Rate | | | | Similar | None known | | |
| Flammability (solid, gas) | | | | Not flammable | None known | | |
| Flammability Limit in Air: | | | | | | | |
| Upper Limit | | | | No data available | None known | | |
| Lower Limit | | | | No data available | None known | | |
| Vapour Pressure | | | | No data available | None known | | |
| Vapour Density | | | | No data available | None known | | |
| Specific Gravity | | | | 1.18-1.20 g/cm ³ | | | |
| Water Solubility | | | | Soluble in water. | None known | | |
| Solubility Other Solvents | | | | No data available | None known | | |
| Partition Coefficient: | | | | | | | |
| n-octanol/water | | | | No data available | None known | | |
| Autoignition temperature | | | | No data available | None known | | |



Vestec 680 – Heavy Duty Oven & Grill Cleaner

Decomposition Temperature No data available None known

Kinematic Viscosity No data available None known
Dynamic Viscosity No data available None known
Explosive Properties No data available None known
Oxidizing Properties No data available None known

Other Properties:

Softening Point No data available
VOC Content % No data available
Particle Size No data available
Particle Size Distribution No data available

10. STABILITY AND REACTIVITY

Reactivity The substance decomposes on heating, on contact with acids and under influence of light producing toxic and corrosive gases including. The substance is a strong oxidant and reacts with combustible and reducing materials.

Chemical stability Stable under recommended handling and storage conditions (see section 7).

Thermal decomposition/conditions to avoid: No decomposition if used and stored according to specifications.

Possibility of hazardous reactions Hazardous polymerization will not occur.

Conditions to avoid Direct sunlight. Extremely high or low temperatures. Contact with metallic substances.

Hazardous decomposition products Carbon oxides (CO, CO₂). Sodium oxides.

Materials to avoid Metals such as aluminum. Reducing agents. Strong acids.

Hazardous polymerization Will not occur



11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: Harmful if swallowed.

LD/LC50 values relevant for classification:

Sodium Hydroxide CAS# 1310-73-2:

LD50 (Oral, rat): 500 mg/kg

On the skin: Causes severe skin irritation and eye damage. (PH: 13.5).

On the eye: Causes serious eye damage. (PH: 13.5)

Respiratory or Skin Sensitization: Not classified.

Additional toxicological information:

Carcinogenicity:

Chemical Name

IARC None

NTP None

12. ECOLOGICAL INFORMATION

| | |
|---------------------------------------|--|
| Toxicity: | Not classified |
| Persistence and Degradability: | Not available |
| Bio accumulative Potential: | Not available |
| Mobility in Soil: | Not available. |
| Other Adverse Effects | |
| Other Information: | All of the organic components of this product are readily biodegradable. |

13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.



Vestec 680 – Heavy Duty Oven & Grill Cleaner

14. TRANSPORTATION INFORMATION

Canadian T.D.G.: Regulated Material (quantity under 1 litres can be shipped Limited Quantity)

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (Sodium Hydroxide)

Contains: Sodium Hydroxide

Hazard Class: 8

ID Number: UN 3266

Packing Group: II



Water Transportation (IMDG): Regulated Material

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (Sodium Hydroxide)

Contains: Sodium Hydroxide

Hazard Class: 8

ID Number: UN 3266

Packing Group: II





Vestec 680 – Heavy Duty Oven & Grill Cleaner

Air Transportation (IATA): Regulated Material

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (Sodium Hydroxide)

Contains: Sodium Hydroxide

Hazard Class: 8

ID Number: UN 3266

Packing Group: II



US DOT: Regulated material

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (Sodium Hydroxide)

Contains (Sodium Hydroxide)

Hazard Class: 8

ID Number: UN 3266

Packing Group: II





15. REGULATORY INFORMATION

International Inventories

| | |
|---------------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Complies |
| IECSC | Complies |
| KECL | - |
| PICCS | Complies |
| AICS | Complies |

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals. NTA in this product is labeling exempt NSRL or no significant risk level.

HMIS III Rating

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)



Vestec 680 – Heavy Duty Oven & Grill Cleaner

16. OTHER INFORMATION

Prepared By: Parkside Professional Products Ltd.
4777 Kent Avenue
Niagara Falls, Ontario
L2H 1J5
905-358-8364

Issuing Date: September 9, 2025

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet