



## Vestec 691 - Descaler

### 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

**Identification of Preparation:** Vestec 691  
**Date of Safety Data Sheet:** September 22, 2025  
**Use of Preparation:** Descaler  
**Company Identification:** Parkside Professional Products Ltd.  
 4777 Kent Avenue  
 Niagara Falls, Ontario L2H 1J5  
 OFFICE: 905-358-8364

**Company Emergency Telephone Number**      Emergency Phone: 905-358-8364

**Transportation Emergency Telephone Number**      CANUTEC 613-996-6666 or \* 666 for cell phone

### 2. HAZARD IDENTIFICATION

**Emergency Overview:**  
**OSHA / WHMIS 2015 Hazards**  
**Classification of substance or mixture**  
**GHS-US/Canadian classification:**  
**GHS Hazards**  
 Corrosive to Metals Category 1 H290  
 Skin Corrosive 1B H314  
 Eye Damage 1 H318  
**Label Elements**  
**GHS-US/ Canada Labeling**  
**Hazard Pictograms (GHS):**



**Signal Word (GHS):** Danger

**Hazard Statements (GHS):**

H290: May be corrosive to metals

H314: Causes severe skin burns and eye damage

H318: Causes serious eye damage



## Vestec 691 - Descaler

### Precautionary Statements (GHS):

P260: Do not breathe mist, spray, and vapours.

P264: Wash exposed skin thoroughly after handling.

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

### Response Statements (GHS):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P310: Immediately call a POISON CENTRE or doctor/physician.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents / container in accordance with local regulations.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Description:** Chemical Blend

Ingredient	CAS#	% by Wt	Classification
ortho-Phosphoric Acid	7664-38-2	30-60	Skin Corrosion/Irritation Category 1B – H314 Serious Eye Damage/Irritation Category 2A – H318
Nitric Acid	7697-37-2	7-15	Corrosive to Metals Category 1 - H290 Skin Corrosion/Irritation Category 1B – H314 Serious Eye Damage/Irritation Category 2A – H318 Oxidizing Liquids, Oxidizing Solids Category 2- H272 Acute Toxicity (Inhalation) Category 3-H331

### 4. FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTRE or doctor/physician.
<b>Eye Contact:</b>	Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Repeat if required. Immediately call a POISON CENTRE or doctor/physician.
<b>Skin Contact:</b>	Thoroughly wash exposed skin with water. Remove any contaminated clothing and wash before reuse.
<b>Ingestion:</b>	Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Immediately call a POISON CENTRE or doctor/physician.



## Vestec 691 - Descaler

<b>Notes to Physician:</b>	Treatment based on judgment of attending physician. Gastric lavage is not recommended.
<b>Most Important symptoms and effects, both acute and delayed:</b>	Caustic burns/corrosion to the skin. Dry/red skin. Corrosion of the eye tissue. Nausea. Abdominal pain. Blood in vomit. Burns to gastric/intestinal mucous.

### 5. FIRE FIGHTING MEASURES

<b>Suitable extinguishing media:</b>	Water spray for extinguishing agent. CO <sub>2</sub> , dry chemical, alcohol resistant foam, sand.
<b>Unsuitable extinguishing media:</b>	None known. Do not use a heavy stream of water
<b>Special exposure hazards</b>	Thermal decomposition releases corrosive vapours. Decomposes on exposure to temperature rise.
<b>Special safety equipment:</b>	Self-contained positive pressure breathing apparatus and protective clothing.
<b>Fire and explosion</b>	Not flammable. Not an explosive hazard.
<b>Further information</b>	Keep containers and surrounding cool with water spray.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

#### For Non-Emergency Personnel:

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel:

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

#### Environmental Precautions

Prevent entry to sewers and public waters

#### Methods and Material for Containment and Cleaning Up:

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately with absorbent and dispose of waste safely.

**Reference to Other Sections:** See Heading 8. Exposure controls and personal protection.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Do not breathe mist, vapours, spray.

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.



## Vestec 691 - Descaler

### Conditions for safe storage, including any incompatibilities:

**Storage:** Oxidizers, reducing agents, strong bases and metals.

### **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Protect from humidity and water. Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

### **Information about storage in one common storage facility:**

Do not store together with alkaline products, oxidizers or reducing agents.

Store away from foodstuffs.

### **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Appropriate Engineering Controls:

**Engineering Measures** Showers. Eyewash Stations. Ventilation Systems.

### Individual Protection Measures:

**Respiratory protection:** Use local exhaust or dilution ventilation.

**Hand protection:** Chemical resistant gloves.

**Eye protection:** Safety goggles or full-face shield.

**Skin protection:** Use body-covering impervious clothing.

**Working hygiene:** Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.

### **Exposure Guidelines:**

ortho-Phosphoric Acid      ACGIH TWA 1 mg/m<sup>3</sup>  
                                          ACGIH STEL 3 mg/m<sup>3</sup>  
                                          OSHA PEL (TWA) 1 mg/m<sup>3</sup>

Nitric Acid                      ACGIH TWA 2 mg/m<sup>3</sup>  
                                          ACGIH STEL 4 mg/m<sup>3</sup>  
                                          OSHA PEL (TWA) 2 mg/m<sup>3</sup>

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical State</b>	Liquid	<b>Odour</b>	No odour
<b>Appearance</b>	Clear	<b>Odour Threshold</b>	No data available.
<b>Colour</b>	Clear		



## Vestec 691 - Descaler

<u>Property</u>	<u>Values</u>	<u>Remarks/Method</u>
pH	.50-.75	None known
Melting/Freezing Point	No data available	None known
Boiling Point/Range	No data available	None known
Flash Point	Not applicable.	None known
Evaporation Rate	Similar	None known
Flammability (solid, gas)	Not flammable	None known
Flammability Limit in Air:	Not flammable	
Upper Limit	No data available	None known
Lower Limit	No data available	None known
Vapour Pressure	No data available	None known
Vapour density	No data available	None known
Specific Gravity	1.15-1.20 g/cm <sup>3</sup>	
Water Solubility	Soluble in water.	None known
Solubility Other Solvents	No data available	None known
Partition Coefficient:		
n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition Temperature	No data available	None known
Kinematic Viscosity	No data available	None known
Dynamic Viscosity	No data available	None known
Explosive Properties	No data available	None known
Oxidizing Properties	No data available	None known
<b><u>Other Properties:</u></b>		
Softening Point	No data available	
VOC Content %	No data available	
Particle Size	No data available	
Particle Size Distribution	No data available	

### 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	Violent exothermic reaction with (some) bases. Violent to explosive reaction with many compounds e.g.: with (strong) oxidizers and with (strong) reducers.
<b>Chemical stability</b>	Stable under recommended handling and storage conditions (see section 7).
<b>Thermal decomposition/conditions to avoid:</b>	No decomposition if used and stored according to specifications.
<b>Possibility of hazardous reactions</b>	Not established.
<b>Conditions to avoid</b>	Extremely high or low temperatures. Contact with metallic substances.
<b>Hazardous decomposition products</b>	Carbon oxides (CO, CO <sub>2</sub> ). Sodium oxides. Carbon monoxide. Carbon dioxide. Thermal decomposition generates: corrosive vapours and hydrogen chloride.



## Vestec 691 - Descaler

**Materials to avoid**  
**Hazardous polymerization**

Reducing agents. Strong acids. Strong bases. Cyanides etc.  
 Will not occur

### 11. TOXICOLOGICAL INFORMATION

**Information on toxicological effects**

**Acute toxicity:** Harmful if swallowed.

**LD/LC50 values relevant for classification:**

**ortho-Phosphoric Acid CAS# 7664-38-2:**

LD50 (Oral, rat): 1,530 mg/kg

LD50 (Dermal, rat): 2,740 mg/kg

**Nitric Acid CAS# 7697-37-2**

LC50 inhalation rat (mg/l) 0.13 mg/l (Exposure time: 4 h)

**On the skin:** Causes severe skin irritation and eye damage.

**On the eye:** Causes serious eye damage.

**Respiratory or Skin Sensitization:** Not classified.

**Additional toxicological information:**

**Carcinogenicity:**

**Chemical Name:** Nitric acid.

IARC Monograph 100F indicates that strong inorganic mists may be carcinogenic.

### 12. ECOLOGICAL INFORMATION

<b>Toxicity:</b>	Not available
<b>Persistence and Degradability:</b>	Not available
<b>Bioaccumulative Potential:</b>	Not available
<b>Mobility in Soil:</b>	Not available
<b>Other Adverse Effects</b>	Not available
<b>Other Information:</b>	Avoid release to the environment.

### 13. DISPOSAL

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Ecology – Waste Materials:** Avoid release to the environment.



## Vestec 691 - Descaler

### 14. TRANSPORTATION INFORMATION

#### Canadian T.D.G.: Regulated Material

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S

Contains: Phosphoric acid and Nitric acid

Hazard Class: 8

ID Number: UN 3264

Packing Group: II



#### Water Transportation (IMDG): Regulated Material

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S

Contains: Phosphoric acid and Nitric acid

Hazard Class: 8

ID Number: UN 3264

Packing Group: II



#### Air Transportation (IATA): Regulated Material

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S

Contains: Phosphoric acid and Nitric acid

Hazard Class: 8

ID Number: UN 3264

Packing Group: II





## Vestec 691 - Descaler

### US DOT: Regulated material

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S

Contains: Phosphoric acid and Nitric acid

Hazard Class: 8

ID Number: UN 3264

Packing Group: II



## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

### Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### U.S. State Regulations:

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.



**Vestec 691 - Descaler**

**HMIS III Rating**

Health: 3 Serious Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: B

SDS US (GHS HazCom 2012 and WHMIS 2015)

**16. OTHER INFORMATION**

**Prepared By:** Parkside Professional Products Ltd.  
4777 Kent Avenue  
Niagara Falls, Ontario  
L2H 1J5  
908-358-8364

**Issuing Date:** September 22, 2025

**Disclaimer:**

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**End of Safety Data Sheet**